

K A U F M A N

PRODUCT
INFORMATION

**KAUFMAN
PRODUCTS
INC.**

3811 CURTIS
AVENUE

BALTIMORE,
MARYLAND
21226-1131

410-354-8600
800-637-6372
www.kaufmanproducts.net

ColorCoat OTC

Description

ColorCoat OTC is a lightly pigmented, high quality, membrane forming, curing compound. It is composed of prime rubber resins, with sufficient plasticizing agents and alkali resistant pigments, completely dispersed in a balanced solvent.

Uses

ColorCoat OTC is designed to be applied to Tycron treated surfaces as a membrane forming curing compound. Each different color of ColorCoat OTC is designed to match the same color of Tycron. By applying ColorCoat as soon as finishing the Tycron surfaces, over 95% of the gauging water is trapped in the slab for thorough curing. Also, by using ColorCoat OTC the use of wax based sealers is eliminated. ColorCoat OTC lasts longer, is less slippery and requires considerably less maintenance than the old fashioned waxes.

Packaging

5 gallon pail

Coverage Rate

300-400 ft²/gal.

Application

Stir thoroughly before use. ColorCoat OTC should be rolled or sprayed, as soon as possible, after surface water has disappeared upon completion of finishing. No preparation is necessary. Be sure to apply as early as possible, but after the concrete has set to sufficient hardness, so that the surface cannot be marred by application.

Compliances

ASTM C-309, Type I, Class B
ASTM C-1315, Type I, Class A

Precautions

Do not apply to slabs that are meant to be static disseminating. Do not apply to surface with free-standing water. Avoid moisture in application equipment. Do not apply to concrete surface due to receive a concrete or cementitious topping. See directions for applying ColorCoat OTC in enclosed areas. **DO NOT THIN. FLAMMABLE.** *Read Safety Data Sheet before using.*

Technical Information

Test results were achieved under laboratory conditions. Statistical variations will occur based upon mixing methods, temperature & humidity, test methodology, site conditions, curing conditions, application methods, and equipment

For professional use only. Not for sale to or use by the general public.

LIMITED WARRANTY We warrant our products to be of good quality and will replace material proved defective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, Inc makes no warranty or guarantee, expressed or implied, including warranties of fitness or merchantability, respecting its products, and Kaufman Products, Inc shall have no other liability with respect hereto. User shall determine the suitability of the product or the intended use and assume all risks and liability in connection thereto. Our salespeople, distributors and their salespeople have no authority to change the printed recommendations concerning the use of our