

Jet Set 10



Jet Set 10 is a hydrophobic, low-viscosity, solvent-free, urethane sealing and grouting compound that is ideally suited for sealing leaking cracks and joints in concrete structures with continuous moisture exposure. Once Jet Set 10 reacts with water to form a foam or gel, it will seal and choke off the leak. Jet Set 10 may also be injected using a single component pump.

ADVANTAGES

- ☑ Solvent free
- ☑ Outstanding adhesion
- ☑ Non-flammable
- ☑ Pumps as a single component
- ☑ Excellent resistance and durability
- ☑ Solvent Free
- ☑ Cures inert, non-toxic permanent seal

USES

- ☑ Leaking cracks and joints in Dam Structures
- ☑ Leaking crack and joints in Tunnels
- ☑ Wastewater Treatment Plants
- ☑ Underground Vaults & Manholes
- ☑ Elevator Pits
- ☑ Storm Water Systems

PACKAGING

- ☑ 5 gallon pails
- ☑ 55 gallon drums
- ☑ Catalyst supplied in 32oz. cans

PHYSICAL PROPERTIES - LIQUID

Uncured Resin

Color	Light Yellow	
Viscosity	250 cps	ASTM C-1638
Flash Point	> 300°F	ASTM D-3278

Catalyst

Color	Transparent	
Viscosity	7.4 cps	ASTM C-1638
Flash Point	> 300°F	

PHYSICAL PROPERTIES - CURED

Elongation	100%	ASTM D-3574
Tensile Strength	175 psi	ASTM D-3574

REACTION TIME

Quantity of Catalyst	Reaction	Polymerization
6%	30 seconds	115 seconds
8%	25 seconds	90 seconds
10%	20 seconds	75 seconds