

# K A U F M A N

PRODUCT  
INFORMATION

KAUFMAN  
PRODUCTS  
INC.

3811 CURTIS  
AVENUE

BALTIMORE,  
MARYLAND  
21226-1131

410-354-8600  
800-637-6372  
[www.kaufmanproducts.net](http://www.kaufmanproducts.net)

AMERICAN OWNED & MANUFACTURED

## MATERIAL SAFETY DATA

### Product Manufacturer

Kaufman Products, Inc.  
3811 Curtis Avenue  
Baltimore, Maryland 21226

### Emergency Telephone No.

410-354-8600 (work hours)  
800-424-9300 (other times)

### Product Trade Name and Identification

Clear Emulsified Concrete Curing Compound  
SureCure 25 Emulsion Code-504

Ingredients	CAS#	TLV
Styrene-Acrylate copolymer	25014-31-7	NA
Petroleum distillate	6472-06-9	100 ppm
Water	7732-18-5	NA

### Physical Data

Boiling Point: 212°F  
Solubility in Water: Slight  
Vapor Density: Heavier than air  
Appearance and odor: White liquid, distinctive odor (pink, if red dye has been added)  
Evaporation Rate: Slower than ether  
Percent Volatile by Volume: 78  
Weight per Gallon: 8.3

### Fire and Explosion Hazard Data

DOT Category: Non-combustible  
Extinguishing Media: Liquid as furnished cannot burn.  
Dried film can burn and be extinguished with water fog or mist as well as foam, dry chemical or carbon dioxide.  
Unusual Fire and Explosion Hazards: Do not burn or incinerate in empty container as dried contents can burn.  
Special Fire Fighting Procedures: None  
Flash Point: (As furnished) None.

### Health Hazard Data

Threshold Limit Value: 100 ppm  
Effects and First Aid Procedures:  
Overexposure: Inhalation - Lightheadedness, dizziness,

headaches or unconsciousness. Remove patient from exposure, administer artificial respiration and oxygen if necessary. Call a physician. Skin Contact - Will dry and defat skin leading to dermatitis. Remove saturated clothing and wash affected areas with soap and water.

Eye Contact - Promptly flush with clean water. If irritation continues, call a physician. Ingestion - Do not induce vomiting. Give liquids and call a physician immediately.

### Reactivity Data

Stability: Stable liquid  
Hazardous Decomposition Products: Carbon monoxide is released in the case of incomplete combustion of dried material.  
Hazardous Polymerization: Will not occur

### Spill or Leak Procedures

Steps to be Taken In Case Material Is Released Or Spilled:  
Prevent ignition. Stop leakage. Ventilate area. Absorb liquid with absorbent. Keep people away. Keep out of public sewers, streams and waterways.  
Waste Disposal Method: Use government regulated chemical disposal company.

### Special Protection Information

Respiratory Protection: If ventilation adequate, none required. If not use NIOSH approved organic vapor mask and canister, or air supplied hose mask.  
Ventilation: Local exhaust: as needed to comply with TLV.  
Protective Gloves: Impervious-(rubber, butyl, etc.)  
Eye Protection: Goggles or face shield.  
Other Protective Equipment: Apron

### Special Precautions

Precautions to be taken in Handling and Storing: None. Other Precautions: THIS IS AN INDUSTRIAL PRODUCT. Keep out of the reach of children.

### Date Prepared

May 4, 1999

F:\TWord MSD\Word MSD 504.doc Feb-01

For professional use only. Not for sale to or use by the general public.

LIMITED WARRANTY We warrant our products to be of good quality and will replace material proved defective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, Inc makes no warranty or guarantee, expressed or implied, including warranties of fitness or merchantability, respecting its products, and Kaufman Products, Inc shall have no other liability with respect hereto. User shall determine the suitability of the product or the intended use and assume all risks and liability in connection thereto. Our salesmen, distributors and their salesmen have no authority to change the printed recommendations concerning the use of our products.