

## KleenLease 28 OTC (028)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Revision Date: 12/01/2016 Supersedes: 10/29/1990

Version: 1.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

### 1.1. Product Identifier

**Product Name:** KleenLease 28 OTC (028)

### 1.2. Intended Use of the Product

**Use of the substance/mixture:** Form Release Agent

### 1.3. Name, Address, and Telephone of the Responsible Party

#### Company

Kaufman Products, Inc.  
3811 Curtis Avenue  
Baltimore, MD 21226-1131  
410-354-8600

<http://www.kaufmanproducts.net/>

### 1.4. Emergency Telephone Number

**Emergency Number** : 800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### Classification (GHS-US)

|                                     |      |
|-------------------------------------|------|
| Flam. Liq. 2                        | H225 |
| Acute Tox. 4 (Inhalation:dust,mist) | H332 |
| Carc. 2                             | H351 |
| Repr. 1A                            | H360 |
| STOT SE 3                           | H335 |
| Aquatic Acute 2                     | H401 |
| Aquatic Chronic 2                   | H411 |

### 2.2. Label Elements

#### GHS-US Labeling

#### Hazard Pictograms (GHS-US)



#### Signal Word (GHS-US)

: Danger

#### Hazard Statements (GHS-US)

: H225 - Highly flammable liquid and vapor  
H226 - Flammable liquid and vapor  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H332 - Harmful if inhaled  
H335 - May cause respiratory irritation  
H340 - May cause genetic defects  
H350 - May cause cancer  
H351 - Suspected of causing cancer

## KleenLease 28 OTC (028)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Precautionary Statements (GHS-US)

H226- Flammable liquid and vapor.  
H360 - May damage fertility or the unborn child  
H361 – Suspected of damaging fertility or the unborn child  
H401 - Toxic to aquatic life  
H411 - Toxic to aquatic life with long lasting effects  
H412 – Harmful to aquatic life with long lasting effects  
: P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P210 - Keep away from heat, open flames, sparks. - No smoking  
P233 - Keep container tightly closed  
P240 - Ground/bond container and receiving equipment  
P241 - Use explosion-proof electrical, lighting, ventilating equipment  
P242 - Use only non-sparking tools  
P243 - Take precautionary measures against static discharge  
P261 - Avoid breathing mist, spray, vapors  
P264 – Wash exposed areas thoroughly after handling  
P271 - Use only outdoors or in a well-ventilated area  
P272 – Contaminated work clothing should not be allowed out of the workplace  
P273 - Avoid release to the environment  
P280 - Wear eye protection, protective clothing, protective gloves  
P302+P352 – IF ON SKIN:Wash with plenty of soap and water  
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305+P351+P338 – If in eyes:Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 - If exposed or concerned: Get medical advice/attention  
P312 - Call a POISON CENTER/doctor/physician if you feel unwell  
P321 – Specific treatment (see section 4)  
P332+P313 – If skin irritation occurs: Get medical advice/attention  
P333+P313 – If skin irritation or rash occurs: Get medical advice/attention  
P337+P313 – If eye irritation persists: Get medical advice/attention  
P362 – Take off contaminated clothing and wash before reuse  
P362+P364 – Take off contaminated clothing and wash it before reuse  
P370+P378 - In case of fire: Use appropriate media for extinction  
P391 - Collect spillage  
P233 - Keep container tightly closed  
P403+P235 - Store in a well-ventilated place. Keep cool  
P405 - Store locked up  
P501 - Dispose of contents/container to local, regional, national, and international regulations

#### 2.3. Other Hazards

No additional information available

#### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## KleenLease 28 OTC (028)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

### 3.2. Mixture

| Name  | Product identifier  | %     | Classification (GHS-US)   |
|---|---------------------|-------|---|
| Distillates, petroleum, hydrotreated light naphthenic | (CAS No) 64742-53-6 | 40-50 | Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Carc. 1B, H350<br>Repr. 2, H361<br>STOT RE 1, H372<br>Asp. Tox. 1, H304                 |
| Tert-Butyl Acetate                                    | (CAS No) 540-88-5   | 20-25 | Flam. Liq. 2, H225  |
| Solvent naphtha, petroleum, medium aliphatic          | (CAS No) 64742-88-7 | 20-25 | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Acute 3, H402<br>Aquatic Chronic 2, H411 |

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show where the label is possible) If exposed or concerned: Get medical advice/attention.

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Immediately flush skin with plenty of water for at least 60 minutes. Get medical advice/attention. Wash contaminated clothing before reuse.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor/physician.

**First-aid Measures After Ingestion:** Rinse mouth. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries:** May cause respiratory irritation. Harmful if inhaled. May cause an allergic skin reaction, skin irritation, or eye irritation.

**Symptoms/Injuries After Inhalation:** Harmful if inhaled. May cause drowsiness or dizziness. May cause respiratory irritation.

**Symptoms/Injuries After Skin Contact:** May cause skin irritation.

**Symptoms/Injuries After Eye Contact:** Direct contact with the eyes is likely irritating.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** May cause cancer. May cause heritable generic damage. May damage fertility. May damage the unborn child.

## KleenLease 28 OTC (028)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>), water spray, fog. Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use water jet. Use of heavy stream of water may spread fire.

#### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Highly flammable liquid and vapor.

**Explosion Hazard:** May form flammable/explosive vapor-air mixture.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

#### 5.3. Advice for Firefighters

**Firefighting Instructions:** Exercise caution when fighting any chemical fire.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Use special care to avoid static electric charges. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid all eyes and skin contact and do not breathe vapor and mist. Do not allow product to spread into the environment.

##### 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

##### 6.1.2. For Emergency Responders

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

#### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Collect spillage. Clear up spills immediately and dispose of waste safely.

#### 6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Keep away from heat/sparks/open flames/hot surfaces –NO SMOKING. Handle empty containers with care because residual vapors are flammable.

**Precautions for Safe Handling:** Use only outdoors or in a well-ventilated area. Avoid breathing vapours, mist, spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only non-sparking tools. Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink, or smoke when using this product. Wash hands and forearms thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

## KleenLease 28 OTC (028)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof lighting, ventilating, electrical equipment.

**Storage Conditions:** Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Incompatible Products:** Strong acids. Strong bases. Strong oxidizers.

**Incompatible Materials:** Heat sources.

**Storage Area:** Store locked up. Store in a well-ventilated place. Keep cool.

#### 7.3. Specific End Use(s) Form Release Agent

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

| tert-Butyl acetate (540-88-5) |                                      |                       |
|-------------------------------|--------------------------------------|-----------------------|
| USA ACGIH                     | ACGIH TWA (ppm)                      | 200 ppm               |
| USA NIOSH                     | NIOSH REL (TWA) (mg/m <sup>3</sup> ) | 950 mg/m <sup>3</sup> |
| USA NIOSH                     | NIOSH REL (TWA) (ppm)                | 200 ppm               |
| USA IDLH                      | US IDLH (ppm)                        | 1500 ppm (10% LEL)    |
| USA OSHA                      | OSHA PEL (TWA) (mg/m <sup>3</sup> )  | 950 mg/m <sup>3</sup> |
| USA OSHA                      | OSHA PEL (TWA) (ppm)                 | 200 ppm               |

#### 8.2. Exposure Controls

##### Appropriate Engineering Controls

: Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases/vapours may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

##### Personal Protective Equipment

: Insufficient ventilation: wear respiratory protection. Gloves. Protective goggles. Protective clothing.



##### Materials for Protective Clothing

: Chemically resistant materials and fabrics.

##### Hand Protection

: Wear chemically resistant protective gloves.

##### Eye Protection

: Chemical goggles or safety glasses.

##### Skin and Body Protection

: Wear suitable protective clothing.

##### Respiratory Protection

: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

##### Other Information

: When using, do not eat, drink or smoke.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on Basic Physical and Chemical Properties

**Physical State** : Liquid

**Appearance** : Thin. Clear.

**Odor** : Low.

**Odor Threshold** : No data available

**pH** : No data available

**Relative Evaporation Rate (butylacetate=1)** : No data available

**Relative evaporation rate (ether=1)** : Slower than ether

**Melting Point** : No data available

## KleenLease 28 OTC (028)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                 |                      |
|---------------------------------|----------------------|
| Freezing Point                  | : No data available  |
| Boiling Point                   | : 162.22 °C (324 °F) |
| Flash Point                     | : 5°C (41.1°F)       |
| Auto-ignition Temperature       | : No data available  |
| Decomposition Temperature       | : No data available  |
| Flammability (solid, gas)       | : No data available  |
| Vapor Pressure                  | : No data available  |
| Relative Vapor Density at 20 °C | : Heavier than air   |
| Relative Density                | : No data available  |
| Specific Gravity                | : No data available  |
| Solubility                      | : Water:Nil          |
| Log Pow                         | : No data available  |
| Log Kow                         | : No data available  |
| Viscosity, Kinematic            | : No data available  |
| Viscosity, Dynamic              | : No data available  |
| Explosive Properties            | : No data available  |
| Oxidizing Properties            | : No data available  |
| Explosive Limits                | : No data available  |

### 9.2. Other Information

VOC content : < 250 g/l

## SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2 Chemical Stability:** Flammable liquid and vapor
- 10.3 Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4 Conditions to Avoid:** Sparks, heat, open flame and other sources of ignition. Extremely high temperatures. Direct sunlight.
- 10.5 Incompatible Materials:** Strong acids. Strong oxidizers. Amines.
- 10.6 Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). May release flammable gases.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information On Toxicological Effects

**Acute Toxicity:** Harmful if inhaled.

|  |  |
|--|--|
| <b>Solvent naphtha, petroleum, medium aliphatic (64742-88-7)</b> |  |
| LD50 Oral Rat  | > 5000 mg/kg                                   |
| LD50 Dermal Rabbit   | 3000 mg/kg                                     |
| LC50 Inhalation Rat (mg/l)                                       | > 5.28 mg/l/4h                                 |
| <b>Tert-Butyl Acetate (540-88-5)</b>                             |  |
| LC50 Inhalation Rat (mg/l)                                       | > 2230 mg/m <sup>3</sup> (Exposure time: 4 hr) |

**Skin Corrosion/Irritation:** Causes skin irritation

**Serious Eye Damage/Irritation:** Causes serious eye irritation

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction

## KleenLease 28 OTC (028)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Germ Cell Mutagenicity:** May cause genetic defects

**Carcinogenicity:** May cause cancer

|  |                              |
|--|------------------------------|
| <b>Solvent naphtha, petroleum, medium aliphatic (64742-88-7)</b> |                              |
| <b>National Toxicity Program (NTP) Status</b>                    | Evidence of Carcinogenicity. |

**Reproductive Toxicity:** May damage fertility or the unborn child.

**Specific Target Organ Toxicity (Single Exposure):** May cause respiratory irritation.

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Potential Adverse Human Health Effects and Symptoms:** Harmful if inhaled.

**Symptoms/Injuries After Inhalation:** Harmful if inhaled. May cause drowsiness or dizziness. May cause respiratory irritation.

**Symptoms/Injuries After Skin Contact:** May cause skin irritation.

**Symptoms/Injuries After Eye Contact:** Direct contact with the eyes is likely irritating.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** May cause cancer. May damage fertility. May cause heritable genetic damage. May damage the unborn child.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Toxic to aquatic life with long lasting effects.

|  |   |
|--|---|
| <b>Solvent naphtha, petroleum, medium aliphatic (64742-88-7)</b> |   |
| <b>LC50 Fish 1</b>   | 800 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])    |
| <b>EC50 Daphnia 1</b>  | > 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)                 |
| <b>EC50 Other Aquatic Organisms 1</b>                            | 450 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata) |

|   |  |
|---|--|
| <b>Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)</b> |  |
| <b>LC50 Fish 1</b>  | > 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |
| <b>EC50 Daphnia 1</b>   | > 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)       |

### 12.2. Persistence and Degradability

|                                      |  |
|--------------------------------------|--|
| <b>KleenLease 28 OTC (028)</b>       |  |
| <b>Persistence and Degradability</b> | Not established. May cause long-term adverse effects in the environment. |

### 12.3. Bioaccumulative Potential

|  |                            |
|--|----------------------------|
| <b>KleenLease 28 OTC (028)</b>                                   |                            |
| <b>Bioaccumulative Potential</b>                                 | Not established.           |
| <b>Solvent naphtha, petroleum, medium aliphatic (64742-88-7)</b> |                            |
| <b>BCF fish 1</b>  | (bioaccumulation expected) |

**12.4. Mobility in Soil** No additional information available

### 12.5. Other Adverse Effects

**Other Information** : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Additional Information:** Handle empty containers with care because residual vapors are flammable.

**Ecology – Waste Materials:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.



## KleenLease 28 OTC (028)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 14: TRANSPORT INFORMATION

### 14.1 In Accordance with DOT

**Proper Shipping Name** : PETROLEUM DISTILLATES, N.O.S.  
**Hazard Class** : 3  
**Identification Number** : UN1268  
**Label Codes** : 3  
**Packing Group** : III  
**ERG Number** : 128



### 14.2 In Accordance with IMDG

**Proper Shipping Name** : PETROLEUM DISTILLATES, N.O.S.  
**Hazard Class** : 3  
**Identification Number** : UN1268  
**Packing Group** : III  
**Label Codes** : 3  
**EmS-No. (Fire)** : F-E  
**EmS-No. (Spillage)** : S-E



### 14.3 In Accordance with IATA

**Proper Shipping Name** : PETROLEUM DISTILLATES, N.O.S.  
**Packing Group** : III  
**Identification Number** : UN1268  
**Hazard Class** : 3  
**Label Codes** : 3  
**ERG Code (IATA)** : 3L



## SECTION 15: REGULATORY INFORMATION

### 15.1 US Federal Regulations

#### Solvent naphtha, petroleum, medium aliphatic (64742-88-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2 US State Regulations

#### Solvent naphtha, petroleum, medium aliphatic (64742-88-7)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - New Jersey - Special Health Hazards Substances List  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term

#### Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)

U.S. - Massachusetts - Right To Know List  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term

## SECTION 16: OTHER INFORMATION

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.



## KleenLease 28 OTC (028)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### GHS Full Text Phrases:

|                                     |  |
|-------------------------------------|--|
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4                 |
| Aquatic Acute 1                     | Hazardous to the aquatic environment - Acute Hazard Category 1   |
| Aquatic Acute 2                     | Hazardous to the aquatic environment - Acute Hazard Category 2   |
| Aquatic Acute 3                     | Hazardous to the aquatic environment - Acute Hazard Category 3   |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Aquatic Chronic 2                   | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Asp. Tox. 1                         | Aspiration hazard Category 1                                     |
| Carc. 1B                            | Carcinogenicity Category 1B                                      |
| Carc. 2                             | Carcinogenicity Category 2                                       |
| Eye Irrit. 2A                       | Serious eye damage/eye irritation Category 2A                    |
| Flam. Liq. 2                        | Flammable liquids Category 2                                     |
| Flam. Liq. 3                        | Flammable liquids Category 3                                     |
| Repr. 1A                            | Reproductive toxicity Category 1A                                |
| Repr. 2                             | Reproductive toxicity Category 2                                 |
| Skin Irrit. 2                       | Skin corrosion/irritation Category 2                             |
| Skin Sens. 1                        | Skin sensitization Category 1                                    |
| STOT RE 1                           | Specific target organ toxicity (repeated exposure) Category 1    |
| STOT SE 3                           | Specific target organ toxicity (single exposure) Category 3      |
| STOT SE 3                           | Specific target organ toxicity (single exposure) Category 3      |
| H225                                | Highly flammable liquid and vapor                                |
| H226                                | Flammable liquid and vapor                                       |
| H304                                | May be fatal if swallowed and enters airways                     |
| H315                                | Causes skin irritation   |
| H317                                | May cause an allergic skin reaction                              |
| H319                                | Causes serious eye irritation                                    |
| H332                                | Harmful if inhaled   |
| H335                                | May cause respiratory irritation                                 |
| H336                                | May cause drowsiness or dizziness                                |
| H350                                | May cause cancer   |
| H351                                | Suspected of causing cancer                                      |
| H360                                | May damage fertility or the unborn child                         |
| H361                                | Suspected of damaging fertility or the unborn child              |
| H372                                | Causes damage to organs through prolonged or repeated exposure   |
| H400                                | Very toxic to aquatic life                                       |
| H401                                | Toxic to aquatic life  |
| H402                                | Harmful to aquatic life  |
| H410                                | Very toxic to aquatic life with long lasting effects             |
| H411                                | Toxic to aquatic life with long lasting effects                  |

# K A U F M A N

PRODUCT  
INFORMATION

KAUFMAN  
PRODUCTS  
INC.

3811 CURTIS  
AVENUE

BALTIMORE,  
MARYLAND  
21226-1131

410-354-8600  
800-637-6372  
[www.kaufmanproducts.net](http://www.kaufmanproducts.net)

## KleenLease 28 OTC (028)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

#### **LIMITED WARRANTY**

*We warrant our products to be of good quality and will replace material proved defective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, Inc makes no warranty or guarantee, expressed or implied, including warranties of fitness or merchantability, respecting its products, and Kaufman Products, Inc shall have no other liability with respect hereto. User shall determine the suitability of the product or the intended use and assume all risks and liability in connection thereto. Our salespeople, distributors and their salespeople have no authority to change the printed recommendations concerning the use of our products.*

#### **DISCLAIMER**

*The information provided in this Safety Data Sheet is believed to be accurate to the best of our knowledge, information and belief at the date of its publication. The information given is designed solely as a guide for the safe handling, use, processing, storage, transportation, disposal, and release by a person trained in chemical handling. This is not to be considered a warranty or quality specification. The information relates only to the specific material designated, and may not be valid for such material used in combination with any other materials or in any process, unless specified on either the latest version of our product data sheet or safety data sheet. Users and handlers of this product should make their own investigations to determine the suitability of the information provided herein for their own purposes.*

SDS US (GHS HazCom) - US Only 10 pt 2