created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 2977299639296

CLASSIFICATION: 03 10 00 Concrete Forming and Accessories

PRODUCT DESCRIPTION: KleenLease 28 is an oil-based, chemically-reactive form release agent that is formulated to meet only the Federal VOC Content regulations from the EPA. KleenLease 28 is blended with solvents, to allow any over-application to evaporate off prior to placement of concrete. This prevents the formation of surface imperfections, such as bugholes, and creates an architectural grade finish. KleenLease 28 is low viscosity, and therefore remains sprayable even in cold weather. KleenLease 28 is also free of waxes, silicones, and diesel fuel.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method
- **Threshold Disclosed Per**
- Material
- Product

Threshold Level

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities Evaluation

Completed in 4 of 4 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized ⊙ Yes ○ No

Provided weight and role.

Screened Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY**

GREENSCREEN SCORE | HAZARD TYPE

SOLVENT [MINERAL SPIRITS LT-UNK | SKI] DEFOAMER [DISTILLATES (PETROLEUM), HYDROTREATED (MILD) LIGHT NAPHTHENIC (9CI) LT-1 | CAN | MUL | SKI | DEV] LUBRICANT [LARD OIL] SURFACTANT [ACIDS, TALL OIL LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD."

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Regulatory (g/l): 600 Material (g/l): <450

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listinas.

VOC emissions: CDPH Standard Method - Not tested VOC content: MAS Certified Green - VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2024-07-25** PUBLISHED DATE: 2024-07-29 EXPIRY DATE: 2027-07-25

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

SOLVENT %: 40,0000 - 55,0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentages are shown as a range to protect confidentiality.

MINERAL SPIRITS ID: 64475-85-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-07-25 13:49:45			
%: 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
SKI	GHS - New Zealand	GHS - New Zealand		Skin irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
None found			No	listings found on Additional Hazard Lists		

SUBSTANCE NOTES: No residuals or impurities at or above 100 ppm are expected to be present.

DEFOAMER %: 34.0000 - 44.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentages are shown as a range to protect confidentiality.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-07-25 13:40:			
%: 100.0000	GreenScreen: LT-1	RC: PreC	NANO: No	SUBSTANCE ROLE: Defoamer		
HAZARD TYPE	LIST NAME AND SOUR	CE	WARNINGS			
CAN	EU - Annex VI CMRs	EU - Annex VI CMRs		Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
MUL	ChemSec - SIN List	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
MUL	German FEA - Substance Waters	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
CAN	GHS - Australia	GHS - Australia		H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
CAN	EU - GHS (H-Statements	EU - GHS (H-Statements) Annex 6 Table 3-1		H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
SKI	GHS - Australia	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
SKI	GHS - Japan		H315 - Causes sk Category 2]	sin irritation [Skin corrosion / irritation -		
DEV	GHS - Australia	GHS - Australia		H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		
CAN	EU - REACH Annex XVII	EU - REACH Annex XVII CMRs		Carcinogens: Category 1B		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	CE	NOTIFICATION			
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022			
			Children's Produc	ts		
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	s Innovation Institute		0 Product Standard Restricted RSL) - Effective July 1, 2022		
			Formulated Cons	umer Products		

SUBSTANCE NOTES: 100% pre-consumer material derived from waste oils, fuels, or lubricants, commonly known as waste mineral oils.

LUBRICANT %: 1.0000 - 3.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

LARD OIL ID: Biological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 100.0000 GreenScreen: Not Required RC: UNK NANO: No MATERIAL ROLE: Lubricant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Animal-based materials

INGREDIENT DESCRIPTION: Lard, one of the pig derivatives, is obtained from the rendering of adipose tissue of pig. Lard oil is mainly composed from triacylglycerols (TAG), diacylglycerols (DAGs), free fatty acids ant other minor components like phospholipids, sterols, tocopherols, carotenoids, and fat soluble vitamins. [International Food Research Journal 19(2): 475-479 (2012)]

MATERIAL CONTENT NOTES: Lard oil's CAS RN (8016-28-2) does not appear on any HPD priority list.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

SURFACTANT %: 1.0000 - 3.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentages are shown as a range to protect confidentiality.

ACIDS, TALL OIL ID: 61790-12-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-07-25 13:40:17		
%: 100.0000 Gr	eenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Surfactant	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wa	rnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			N	o listings found on Additional Hazard Lists	

SUBSTANCE NOTES: No residuals or impurities at or above 100 ppm.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-07-25 00:00:00

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: 3811 Curtis Avenue, Baltimore,

MD, USA

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This product currently does not have a CDPH test certificate for VOC emissions.

VOC CONTENT

MAS Certified Green - VOC Content

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-07-24 00:00:00

CERTIFIER OR LAB:

APPLICABLE FACILITIES: 3811 Curtis Avenue, Baltimore,

EXPIRY DATE:

EXPIRY DATE:

kaufmanproducts

MD, USA

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This is not MAS Green Certification. The VOC content is self-reported by using primary information i.e. SDS.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Advantages

Non-Staining

Chemically-Reactive

Best Architectural Grade Finish

Sprayable All Year Long

Helps to Keep Forms Clean

Will Contribute to LEED Points

Meets VOC Content Regulations from the EPA

Free of Waxes, Silicones, & Diesel Fuel

Rapid Evaporation Helps to Prevent Over-Spray Effects

Applications

Steel Forms

Conditioned Aluminum Forms

All Types of Wood Forms

Interior and Exterior

Poured Concrete Walls

General Construction

Compliances

Meets All Federal VOC Content Regulations from the EPA

Packaging

5 Gallon Pails

55-Gallon Drums

275-Gallon Totes

7,000-Gallon Bulk Loads

MANUFACTURER INFORMATION

MANUFACTURER: Kaufman Products, Inc.

ADDRESS: 3811 Curtis Avenue Baltimore, Maryland 21226 COUNTRY: United States WEBSITE: kaufmanproducts.net CONTACT NAME: Alex Kaufman

TITLE: President PHONE: 4103548600

EMAIL: akaufman@kaufmanproducts.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KFY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and