# KAUFMAN

# **Krystal 15 Emulsion EF**

**Health Product Declaration v2.3** CLASSIFICATION: 03 30 00 Cast-in-Place Concrete **HPD UNIOUE IDENTIFIER: 1019225088** 

#### **Product Description**

Krystal 15 Emulsion EF is a low-odor, water-based, methyl methacrylate curing compound. Superior resistance to yellowing from UV exposure, makes Krystal 15 Emulsion EF ideally suited for curing freshly placed interior or exterior architectural concrete where yellowing is unacceptable and odors must be kept to a minimum. Krystal 15 Emulsion EF will provide a low-gloss finish, and may be used with our non-slip additive, SureGrip, for skid resistance. Krystal 15 Emulsion EF is cold-weather optimized to dry correctly even in temperatures as low





# Section 1: Summary

### **Nested Method / Product Threshold**

#### **CONTENT INVENTORY**

#### **Inventory Reporting Format**

- Nested Materials Method
- C Basic Method

#### **Threshold Disclosed Per**

- Material
- Product

#### **Threshold Level**

- C 1,000 ppm
- C Per GHS SDS
- Other

#### Residuals/Impurities Evaluation

Completed in 3 of 3 Materials

Explanation(s) provided for Residuals/Impurities?

For all contents above the threshold, the manufacturer has:

Characterized Yes ○ No

Provided weight and role.

Screened Yes ○ No.

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPLIRITY** 

**GREENSCREEN SCORE | HAZARD TYPE** 

DILUTENT [ WATER BM-4] ADDITIVE [ POLYMETHYL METHACRYLATE LT-P1 | SOLVENT [ PROPYLENE GLYCOL BM-2 | END | MAM ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

#### **INVENTORY AND SCREENING NOTES:**

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD."

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0 Regulatory (g/l): 100

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings.

VOC emissions: CDPH Standard Method - Not tested VOC content: MAS Certified Green - VOC Content

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

SCREENING DATE: 2024-01-01 PUBLISHED DATE: 2024-01-10 EXPIRY DATE: 2027-01-01

### Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

#### DILUTENT %: 65.0000 - 75.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Other: Water

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: None.

**WATER** ID: 7732-18-5 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-01 5:57:56 %: 100.0000 GreenScreen: BM-4 RC: None NANO: No SUBSTANCE ROLE: Diluent HAZARD TYPE LIST NAME AND SOURCE WARNINGS No warnings found on HPD Priority Hazard Lists None found LIST NAME AND SOURCE ADDITIONAL LISTINGS **NOTIFICATION EXEMPT** EU - REACH Exemptions European Union / European Commission (EU EC) Exempted from REACH Annex IV listing due to intrinsic

ADDITIVE %: 24.0000 - 30.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The manufacturer maintains rigorous intellectual property rights over this additive.

SUBSTANCE NOTES: Per the Pharos database, no residuals or impurities are available for this substance.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-01-01 6:03:12		
%: 90.0000 - 100.0000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No v	warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N	
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionar		ionary List	
			Precautionary list of substances recommended for avoidance		

SUBSTANCE NOTES: The manufacturer did not disclose this substance's CAS RN for proprietary reasons. The data gaps were addressed using information from the Quartz database for common building materials and the Pharos database. It's important to note that the actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

SOLVENT	%: 1.0000 - 3.0000	
PRODUCT THRESHOLD: 100	RESIDUALS AND IMPURITIES EVALUATION COMPLETED:	MATERIAL TYPE: Other: Organic
ppm	Yes	Compound

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: None.

PROPYLENE GLYCOL ID: 57-55-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD	SCREENING DATE: 2024-01-01 5:58:3	
%: 99.0000 - 100.0000	GreenScreen: BM-2	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disr	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (0	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Antimicrobials		
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List		
			Some Solvents		
POSITIVE LIST	US Environmental Protection Agency (US		US EPA - DfE Safer Chemicals Ingredients list (SCIL)		
	EPA)		Enzymes and Sta Concern)	bilizers - Green Circle (Verified Low	

 ${\small \verb|SUBSTANCE| NOTES|: No residuals or impurities are expected to be present at or above 100 ppm.}$ 

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **CDPH Standard Method - Not tested**

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-01-04 00:00:00

**EXPIRY DATE:** 

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: 3811 Curtis Avenue, Baltimore,

MD, USA.

**CERTIFICATE URL:** 

**VOC CONTENT** 

CERTIFICATION AND COMPLIANCE NOTES:

#### MAS Certified Green - VOC Content

CERTIFYING PARTY: Self-declared ISSUE DATE: 2024-01-04 00:00:00 CERTIFIER OR LAB: APPLICABLE FACILITIES: 3811 Curtis Avenue, Baltimore, **EXPIRY DATE:** kaufmanproducts

MD, USA.

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: This is not MAS Green Certification. The VOC content is self-reported by using primary information i.e. SDS. VOC content= 0 grams/liter

### Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

#### **APPLICATIONS**

**Decorative Concrete** 

Interior & Exterior Residential & Commercial Concrete

Re-Sealing Existing Exterior Concrete

#### **COMPLIANCES**

ASTM C-309, Type I, Class B

USDA Compliant Post Cure

VOC Content Regulations from LADCO, OTC, & the EPA

#### **PACKAGING**

1-Gallon Cans

5-Gallon Pails

55-Gallon Drums

275-Gallon Totes

#### **MANUFACTURER INFORMATION**

MANUFACTURER: Kaufman Products, Inc.

ADDRESS: 3811 Curtis Avenue Baltimore, Maryland 21226 COUNTRY: United States WEBSITE: kaufmanproducts.net CONTACT NAME: Alex Kaufman

TITLE: President PHONE: 4103548600

EMAIL: akaufman@kaufmanproducts.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity **EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

**Nested Method** / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

