KAUFMAN **Krystal 25 OTC Brown**

Health Product Declaration v2.3 CLASSIFICATION: 03 30 00 Cast-in-Place Concrete HPD UNIQUE IDENTIFIER: 133874350080

Product Description

Krystal 25 OTC Brown is a Low-VOC, acrylic modified, wet look curing & sealing compound designed to meet the rigid VOC content regulations from the OTC, LADCO, and EPA. Krystal 30 OTC is resistant to yellowing from UV exposure, making it ideally suited for curing freshly placed exterior architectural concrete where yellowing is unacceptable. Krystal 25 OTC will provide a wet-look, and may be used with our non-slip additive, SureGrip, for skid resistance. Krystal 25 OTC is formulated with our dual technology to make application easier and more successful.





Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities Evaluation

Completed in 4 of 4 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY**

GREENSCREEN SCORE | HAZARD TYPE

SOLVENT 1 [DIMETHYL CARBONATE BM-2 | PHY | AQU | REP] RESIN [AS RESIN LT-UNK] SOLVENT 3 [AROMATIC NAPHTHA, TYPE 1 LT-1 | END | CAN | MUL | GEN | MAM | SKI | EYE] SOLVENT 2 [TERT-BUTYL ACETATE LT-UNK | PHY | EYE]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD."

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <350 Regulatory (g/l): 350

Does the product contain exempt VOCs: Yes

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listinas.

VOC emissions: CDPH Standard Method - Not tested VOC content: MAS Certified Green - VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-01-01 PUBLISHED DATE: 2024-01-10 EXPIRY DATE: 2027-01-01

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

SOLVENT 1	%: 44.0000 - 52.0000	
PRODUCT THRESHOLD: 100	RESIDUALS AND IMPURITIES EVALUATION COMPLETED:	MATERIAL TYPE: Other: Organic
ppm	Yes	Compound

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: To protect confidentiality, percentages are shown in a range.

DIMETHYL CARBONATE				ID: 616-38- 6		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-01-01 8:55:40				
%: 100.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Solvent		
HAZARD TYPE	LIST NAME AND SOUR	CE	WARNINGS			
PHY	EU - GHS (H-Statements	EU - GHS (H-Statements) Annex 6 Table 3-1		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
AQU	GHS - New Zealand	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 2		
REP			H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]			
PHY	GHS - New Zealand	GHS - New Zealand		Flammable liquids category 2		
PHY	GHS - Japan	GHS - Japan		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
PHY	GHS - Australia		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]			
ADDITIONAL LISTINGS	LIST NAME AND SOUR	CE	NOTIFICATION			
RESTRICTED LIST	Green Science Policy Ins	stitute (GSPI)	GSPI - Six Classe	es Precautionary List		
			Some Solvents			

SUBSTANCE NOTES: Per the Pharos database, no residuals or impurities are available for this substance.

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Information concerning this additive is considered as intellectual proprietary.

AS RESIN	SIN ID: 9003-54-			
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZA	ARD SCREENING DATE: 2024-01-01 8:55:40
%: 90.0000 - 100.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Abrasion resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer did not disclose the CAS RN for this substance due to proprietary reasons. The data gaps were addressed using information from the Quartz database for common building materials and the Pharos database. It's important to note that the actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

SOLVENT 3 %: 12.0000 - 16.0000

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes PRODUCT THRESHOLD: 100 ppm MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Actual percentage of composition may be withheld to cover confidentiality.

AROMATIC NAPHTHA, TYPE 1

ID: 64742-95-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-01-01 8:55:41 %: 90.0000 - 100.0000 GreenScreen: LT-1 RC: None NANO: No SUBSTANCE ROLE: Solvent

MATERIAL TYPE: Polymeric Material

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
GEN	GHS - Australia	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B
GEN	EU - REACH Annex XVII CMRs	Germ cell mutagens: Category 1B
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products

SUBSTANCE NOTES: Per the Pharos database: This product has the following approximate composition: Trimethylbenzenes 6%; Diethylbenzenes 12%; Indane 6%; Dimethylethyl benzenes: 16%; Tetramethyl benzene, Dimethyl styrene, Tetramethyl benzene, and Divinyl benzene: 10%; Methyl indance: 8%; Methyl indenes 7%; Naphthalene: 13%. (IUCLID)

SOLVENT 2 %: 7.0000 - 12.0000

PRODUCT THRESHOLD: 100 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentages are shown in a range to cover the actual formulation.

LIAZADD DATA COLIDOS			1147455	000000000000000000000000000000000000000	
HAZARD DATA SOURCE: PI	haros Chemical and Materials Lib	rary	HAZARD	SCREENING DATE: 2024-01-01 8:55:4	
%: 99.0000 - 100.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
EYE	GHS - New Zealand		Eye irritation category 2		
PHY	GHS - New Zealand		Flammable liquids category 2		
PHY	GHS - Japan		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
PHY	GHS - Malaysia		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
PHY	GHS - Australia		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institu	en Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Some Solvents		
RESTRICTED LIST	Green Science Policy Institu	te (GSPI)	GSPI - Six Classe	es Precautionary List	
			Certain Metals		

SUBSTANCE NOTES: It has recently gained EPA volatile organic compound (VOC) exempt status. [U.S EPA]

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-01-04 00:00:00

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: 3811 Curtis Avenue, Baltimore,

MD, USA.

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

VOC CONTENT

MAS Certified Green - VOC Content

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-01-04 00:00:00

CERTIFIER OR LAB:

APPLICABLE FACILITIES: 3811 Curtis Avenue, Baltimore,

EXPIRY DATE:

EXPIRY DATE:

kaufmanproducts

MD, USA.

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This is not MAS Green Certification. The VOC content is self-reported by using primary information i.e.

SDS. VOC content= <350 grams/liter

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

APPLICATIONS

Decorative Concrete

Exterior Residential Concrete

Re-Sealing Existing Exterior Concrete

COMPLIANCES

ASTM C-309, Type I, Classes A & B

ASTM C-1315, Type I, Class A

AASHTO M-148, Type I, Classes A & B

USDA Compliant Post Cure

VOC Content Regulations from LADCO, OTC, & the EPA

PACKAGING

1-Gallon Cans

5 Gallon Pails

55-Gallon Drums

MANUFACTURER INFORMATION

MANUFACTURER: Kaufman Products, Inc.

ADDRESS: 3811 Curtis Avenue Baltimore, Maryland 21226 COUNTRY: United States WEBSITE: kaufmanproducts.net CONTACT NAME: Alex Kaufman

TITLE: President PHONE: 4103548600

EMAIL: akaufman@kaufmanproducts.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

