KAUFMAN **SurePoxy VLM Class B**

Health Product Declaration v2.3 CLASSIFICATION: 03 01 30 Maintenance of Cast-in-Place Concrete HPD UNIOUE IDENTIFIER: 188808573952

Product Description

SurePoxy VLM, Class B is a two-component, 100% solids, moisture insensitive and medium viscosity epoxy resin system. SurePoxy VLM, Class B is also very low modulus, and therefore has significantly increased tensile elonga tion, making it ideal for use in epoxy concrete overlays. Used together with a washed & dried aggregate to produce these overlays, SurePoxy VLM, Class B will work in temperatures as low as 40°F without preconditioning.





Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed in 7 of 7 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized Yes ○ No

Provided weight and role.

Screened Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY**

GREENSCREEN SCORE | HAZARD TYPE

POLYMER (PART A) [BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 | MUL | SKI | EYE | AQU] CURING AGENT (PART B) [ADIPONITRILE LT-UNK | MAM | SKI | EYE] SOLVENT (PART B) [(POLYETHYL)BENZENES BM-1 | MUL | MAM | SKI | AQU] DILUTENT (PART B) [((2-METHYLPHENOXY)METHYL)OXIRANE LT-P1 | MUL | SKI | AQU | GEN | MAM] CATALYST (PART B) [4-NONYLPHENOL (BRANCHED) LT-1 | END | MUL | PBT | SKI | AQU | REP | MAM | EYE] INTERMEDIATE (PART A) [DIPROPYLENE GLYCOL DIACRYLATE LT-UNK | SKI | EYE] RESIN (PART B) [CASHEW NUT OIL LT-P1 | MUL]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD."

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l): 100

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: CDPH Standard Method - Not tested VOC content: MAS Certified Green - VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

VERIFICATION #: No

PREPARER: Self-Prepared

VERIFIER:

SCREENING DATE: 2023-12-20 PUBLISHED DATE: 2024-01-11 EXPIRY DATE: 2026-12-20

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

POLYMER (PART A)

%: 40.0000 - 50.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The manufacturer maintains rigorous intellectual property rights over this additive.

BISPHENOL A EPICHLOROHYDRIN POLYMER

ID: 25068-38-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-12-27 7:00:42

GreenScreen: LT-P1 %: 100.0000

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: The manufacturer maintains rigorous intellectual property rights over this additive.

CURING AGENT (PART B)	%: 25.0000 - 30.0000	
PRODUCT THRESHOLD: 10 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: To protect confidentiality, percentages are shown in a range.

ADIPONITRILE					ID: 111-69- 3
HAZARD DATA SOURCE	E: Pharos Chemical and Materials Libra	ary	HAZARE	SCREENING DATE:	2023-12-27 7:06:20
%: 99.0000	GreenScreen: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROL	_E: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MAM	US EPA - EPCRA Extremely Substances	Hazardous	Extremely Hazar	rdous Substances	
SKI	GHS - New Zealand		Skin irritation car	tegory 2	
EYE	GHS - New Zealand		Eye irritation cat	egory 2	
MAM	GHS - Japan			damage to organs [Spe toxicity following singl	-
MAM	GHS - New Zealand		Acute inhalation	toxicity category 3	
MAM	GHS - Japan		H311 - Toxic in o	contact with skin [Acute	e Toxicity (dermal) -
MAM	GHS - New Zealand		Acute oral toxicit	ty category 3	
MAM	GHS - Japan		H301 - Toxic if s	wallowed [Acute Toxic	ity (oral) - Category
ADDITIONAL LISTINGS	S LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute	e (GSPI)	GSPI - Six Class	ses Precautionary List	
			Some Solvents		
RESTRICTED LIST	Green Science Policy Institute	e (GSPI)	GSPI - Six Class	ses Precautionary List	
			Certain Metals		

SUBSTANCE NOTES: Adiponitrile is a complex combination of hydrocarbons produced by the distillation of products from the hydrogenation of adiponitrile. It contains such compounds as 6-aminohexanamide, 6-aminohexanenitrile, bishexamethylenetriamine, 1,2-cyclohexanediamine, and decanediamines. [ChemicalBook]. It's important to note that the actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only, since the given CAS RN does not appear on any HPD Priority Lists.

SOLVENT (PART B) %: 8.0000 - 12.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: To protect confidentiality, percentages are shown in a range.

(POLYETHYL)BENZENES	ID: 64742-94-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2023-12-27 7:03:35	
%: 99.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Waters	Hazardous to	Class 2 - Hazard to	o Waters
MAM	EU - GHS (H-Statements) A	Annex 6 Table 3-1	H304 - May be fata [Aspiration hazard	al if swallowed and enters airways - Category 1]
MAM	GHS - Japan		-	respiratory irritation [Specific target gle exposure - Category 3]
SKI	GHS - Japan		H315 - Causes ski Category 2]	n irritation [Skin corrosion / irritation -
AQU	GHS - Japan		H400 - Very toxic tenvironment (acute	to aquatic life [Hazardous to the aquatic e) - Category 1]
AQU	GHS - Japan		•	to aquatic life with long lasting effects aquatic environment (chronic) -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institu	ute (GSPI)	GSPI - Six Classes	s Precautionary List
			Some Solvents	

SUBSTANCE NOTES: TSCA Definition 2008: Obtained from distillation of aromatic streams and consisting of mainly aromatic hydrocarbons with carbon numbers of C9 through C16 and boiling range of 165 deg C to 290 deg C.

DILUTENT (PART B	%: 4.0000 - 6.0000
------------------	--------------------

PRODUCT THRESHOLD: 100 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

((2-METHYLPHENOXY)METHYL)OXIRANE

ID: 2210-79-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Li	brary	HAZARD S	SCREENING DATE: 2023-12-27 7:04:
%: 100.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE	Ε	WARNINGS	
MUL	German FEA - Substances Waters	Hazardous to	Class 2 - Hazard to	o Waters
SKI	EU - GHS (H-Statements)	Annex 6 Table 3-1	H315 - Causes ski Category 2]	in irritation [Skin corrosion/irritation -
AQU	EU - GHS (H-Statements)	Annex 6 Table 3-1		quatic life with long lasting effects aquatic environment (chronic) -
GEN	EU - GHS (H-Statements)	Annex 6 Table 3-1	H341 - Suspected mutagenicity - Cat	of causing genetic defects [Germ cell egory 2]
MAM	GHS - Japan		•	respiratory irritation [Specific target agle exposure - Category 3]
SKI	GHS - New Zealand		Skin irritation cate	gory 2
SKI	GHS - Australia		H315 - Causes ski Category 2]	in irritation [Skin corrosion/irritation -
GEN	GHS - Australia		H341 - Suspected mutagenicity - Cat	of causing genetic defects [Germ cell egory 2]
SKI	GHS - New Zealand		Skin sensitisation	category 1
AQU	GHS - New Zealand		Hazardous to the a	aquatic environment - chronic category
AQU	GHS - Australia			puatic life with long lasting effects aquatic environment (chronic) -
GEN	EU - Annex VI CMRs		Mutagen - Catego	ry 2
GEN	GHS - New Zealand		Germ cell mutager	nicity category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	Ē	NOTIFICATION	
RESTRICTED LIST	Green Science Policy Insti	tute (GSPI)	GSPI - Six Classes	s Precautionary List
			Some Solvents	
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute	C2C Certified v4 F List (RSL) - Effecti	Product Standard Restricted Substance ve July 1, 2022
			Children's Product	is.

SUBSTANCE NOTES: No residuals or impurities are expected to be present at or above 100 ppm.

CATALYST (PART B)

%: 3.0000 - 6.0000

PRODUCT THRESHOLD: 100 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentages are in range to protect formulations

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE:	2023-12-27 7:04:
%: 100.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE R	OLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disrup	otors	Potential Endocrin	e Disruptor	
END	OSPAR - Priority PBTs & EDs & el concern	quivalent	Endocrine Disrupt	or - Chemical for Pric	ority Action
END	ChemSec - SIN List		Endocrine Disrupt	ion	
MUL	German FEA - Substances Hazaro Waters	lous to	Class 3 - Severe H	Hazard to Waters	
PBT	OSPAR - Priority PBTs & EDs & el concern	quivalent	PBT - Substance	of Possible Concern	
SKI	EU - GHS (H-Statements) Annex 6	Table 3-1		vere skin burns and - Category 1A or 1B	
AQU	EU - GHS (H-Statements) Annex 6	Table 3-1	H400 - Very toxic environment (acut	to aquatic life [Hazar e) - Category 1]	dous to the aquation
AQU	EU - GHS (H-Statements) Annex 6	Table 3-1		to aquatic life with lor aquatic environment	-
REP	EU - GHS (H-Statements) Annex 6	Table 3-1	•	ed of damaging fertili orn child [Reproducti	•
MAM	GHS - Japan		•	respiratory irritation ngle exposure - Cate	
EYE	GHS - New Zealand		Serious eye dama	ge category 1	
SKI	GHS - Japan		H314 - Causes se corrosion / irritation	vere skin burns and on - Category 1]	eye damage [Skin
SKI	GHS - Australia			vere skin burns and - Category 1A or 1B	
AQU	GHS - New Zealand		Hazardous to the	aquatic environment	- acute category 1
AQU	GHS - Japan		H400 - Very toxic environment (acut	to aquatic life [Hazar e) - Category 1]	dous to the aquatic
AQU	GHS - Japan			to aquatic life with lor aquatic environment	-

AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
REP	GHS - Korea	H361 - Suspected of damaging fertility or the unborn child [Reproductive toxicity - Category 2]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
REP	GHS - Australia	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
END	EU - SVHC List	Equivalent Concern - Candidate List: endocrine disrupting properties cause probable serious effects to the environment or human health
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
		Red List substances to avoid in Living Building Challenge V4.0 projects

 $\ensuremath{\mathsf{SUBSTANCE}}$ NOTES: No residuals or impurities at or above 100 ppm.

INTERMEDIATE (PART A)	%: 3.0000 - 6.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

DIPROPYLENE GLYCOL DIACRYLATE

ID: 57472-68-1

HAZAKU DATA SOURCE:	Pharos Chemical and Materials Librar	ry	HAZAKL	O SCREENING DATE: 2023-12-27 7:01:17
%: 99.0000 Gr	eenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Intermediate
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation cat	tegory 2
EYE	GHS - New Zealand		Eye irritation cate	egory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	lo listings found on Additional Hazard Lists

SUBSTANCE NOTES: No residuals or impurities are expected to be present at or above 100 ppm.

RESIN (PART B)	%: 2.0000 - 5.0000
----------------	--------------------

PRODUCT THRESHOLD: 100 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: MATERIAL TYPE: Other Biological Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: To protect confidentiality, percentages are shown in a range.

CASHEW NUT OIL ID: 8007-24-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-12-27 7:02:58		
%: 99.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances H Waters	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additional Hazard Lists	

 ${\tt SUBSTANCE\ NOTES: Per\ the\ Pharos\ database,\ no\ residuals\ or\ impurities\ are\ available\ for\ this\ substance.}$

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-01-08 00:00:00 APPLICABLE FACILITIES: 3811 Curtis Avenue, Baltimore,

CERTIFIER OR LAB: None

MD, USA.

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

VOC CONTENT

MAS Certified Green - VOC Content

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-01-08 00:00:00

CERTIFIER OR LAB:

APPLICABLE FACILITIES: 3811 Curtis Avenue, Baltimore,

EXPIRY DATE:

EXPIRY DATE:

kaufmanproducts

MD, USA.

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This is not MAS Green Certification. The VOC content is self-reported by using primary information i.e.

SDS. VOC content= 0 grams/liter

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

APPLICATIONS

As an Epoxy Overlay System

General Purpose Adhesive

COMPLIANCES

ASTM C-881, Type III, Grade 2, Class B

AASHTO M-235, Types III, Grade 2, Class B

Multiple DOT Approvals

PACKAGING

2-gallon units

10-gallon units

110-gallon units

MANUFACTURER INFORMATION

MANUFACTURER: Kaufman Products, Inc.

ADDRESS: 3811 Curtis Avenue Baltimore, Maryland 21226 COUNTRY: United States WEBSITE: kaufmanproducts.net CONTACT NAME: Alex Kaufman

TITLE: President PHONE: 4103548600

EMAIL: akaufman@kaufmanproducts.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

